


## Coastal Engineering Technical Note

## COASTAL PIER CONSTRUCTION IMPACTS ON A MID-ATLANTIC BARRIER ISLAND

PROBLEM: The Corps of Engineers constructs and issues permits for the construction of coastal structures such as groins, jetties, and piers in the coastal zone. Potential impacts on local beach fauna by the construction and presence of these structures need to be determined to aid coastal planners in designing and evaluating such structures. This note provides information on pier construction impacts on local beach fauna communities on a mid-Atlantic barrier island.

BACKGROUND: The Coastal Engineering Research Center (CERC) constructed an 1,800-foot pier at its Field Research Facility at Duck, North Carolina in 1975 (Figure 1). This pier is a reinforced concrete structure with 3-foot diameter steel piles spaced at 40-foot intervals.

Prior to construction of the pier, CERC inventoried the macrobenthic animals (those larger than 0.5 millimeters) and measured physical parameters within and outside the areas influenced by pier construction (Matta, 1977). The physical and biological environment of the study area was found to be typical of a high-energy sand beach along an exposed ocean coast.



Location of the CERC Field Research Facility

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comments arters Services, Directorate for Info	s regarding this burden estimate ormation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE  JAN 1983		2. REPORT TYPE		3. DATES COVE <b>00-00-1983</b>	RED 3 to 00-00-1983	
4. TITLE AND SUBTITLE				5a. CONTRACT	NUMBER	
Coastal Pier Construction Impacts on a Mid-Atlantic Barrier Is			rier Island	5b. GRANT NUMBER		
				5c. PROGRAM E	ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUME	BER	
				5f. WORK UNIT	NUMBER	
U.S. Army Corps of	ZATION NAME(S) AND AE of Engineers (USAC) lalls Ferry Road,Vio	E),Coastal and Hyd	Iraulics	8. PERFORMING REPORT NUMB	G ORGANIZATION ER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/M NUMBER(S)	IONITOR'S REPORT	
12. DISTRIBUTION/AVAIL Approved for publ	ABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NO	OTES					
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>	Same as Report (SAR)	3		

**Report Documentation Page** 

Form Approved OMB No. 0704-0188 To assess the impacts of the pier on the macrobenthic population, CERC did a followup study five years after pier construction using the same transects, stations, and other methodology used by Matta (Diaz and DeAlteris, 1982).

This latter study showed that the physical sedimentary environment at the sites surveyed had not changed. Changes, however, occurred in the nearshore bath-ymetry near the pier. While temperature and salinity were different for pre- and post-construction years, they were within the range of natural variation for this coastal region.

Macrobenthic populations between pre- and post-construction periods were similar (Table 1). In 1976, 20 benthic species were identified; whereas, in 1981, 19 were identified.

Table 1. Taxonomic Comparison between 1976 and 1981 Macrobenthic Species Collected from the Ocean Beach

Taxon	1976	1981
Polychaeta		
Scolelepis squamata		•
Spiophanes bombur		
Nephtye buccra	1 . 1	•
Magelona rosea		•
Sigambre sp.	1 1	•
Microphthalmus screlkovii	1 . 1	
Travisia carnes		
Glycerc dibranchiata		+
Eteone heteropoda		
Hesionid	1 1	•
Phylodocid	1 1	+
·		•
Mollusca		
Dona= spp.	1 • 1	•
Ensie sp.	+	
Anadara ovalie	+	
Acteon sp.		•
Epitonium sp.	1	•
Amphipoda		
Haustorids	1 • 1	•
Amphiporeia virginiana		•
Bathyporeia quoddyensis	1 . 1	•
Corophidd	1 1	•
Jassa falcala		
N	1	
Decapoda		
Dnerita talpoida		•
Ovalipes ocellatus		•
Pagnanue longioarpue	1	
sopoda		
Edotea sp.	1 1	•
Cimac es	•	•
tysidacea	•	•

CONCLUSIONS: The major physical change resulting from pier construction was scour beneath the seaward end of the pier. This was believed to be caused by the erosive effects of turbulent eddies around the pier legs. Sediment grain sizes between pre- and post-construction periods were similar at the sites sampled.

Macrobenthic communities were statistically similar between study periods with the exception of some uncommon species which were not found in both periods. Macrobenthic animals formed a single community throughout the study area and showed signs of seasonal migration offshore.

Abundance of species between years was also within natural populations variations and were considered to be similar. In 1981, there was no relationship observed between the proximity of sample sites to the pier and the abundance and diversity of species found. Any affects the pier may have had on the macrobenthic animals and their environment were not detectable in this high energy environment. It is unlikely that even more extensive sampling would identify changes associated with pier construction in this dynamic environment.

ADDITIONAL INFORMATION: For further information contact E. J. Pullen (WESER-C) (601) 634-3650

## REFERENCES:

DIAZ, R.J. and DeALTERIS, J.T., "Long-Term Changes in Beach Fauna at Duck, North Carolina," CERC Contract Report DACW72-81-C-0002, Aug 1982.

MATTA, J.F., "Beach Fauna Study of the CERC Field Research Facility, North Carolina," MR 77-6, U.S. Army Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, VA, Apr 1977.